

Bob and Bill's Story

My name is Bob and my brother's name is Bill, this is our story. Growing up we shared the same bedroom. We were not shy about nudity in our bedroom or the bathroom. Bill is two years younger than I am. We learned to play with our foreskins together. I started at about 12 and showed Bill right away when he was 10. My foreskin was quite loose but his was tighter and had nipple of skin over the end like mine was at that age. We both enjoyed the pleasures of masturbation, usually together, when we went to bed or early in the morning. We were not circumcised because our mother didn't want anything cut off that did not have an absolute requirement to be removed. Our dad was circumcised with very smooth skin on the shaft.

Over the next three years my foreskin seemed to get looser but Bill's seemed to get tighter. At thirteen he had developed an adult sized penis except his foreskin was real tight and he had trouble retracting his foreskin. We had been taught to keep our penises clean by skinning back and washing around the bare head. Bill at first had trouble moving the foreskin off and on the glans when erect and now was have some trouble when soft. He did not retract to pee because of the restrictive foreskin. We decided that we need to talk to dad about Bill's problem.

We told dad about Bill's foreskin problem. He said he should look at Bill's penis. So we went into our bedroom. Dad asked Bill to drop his pants and show him how his foreskin was behaving. Bill dropped his pants. Dad asked him to try to retract his foreskin. Bill got it back with a bit of tugging. Dad asked Bill to return his foreskin to its normal position. Bill had a lot of trouble returning the foreskin over the head and had to really squeeze the glans to get the foreskin over it. Dad told Bill that he needed to see the doctor and may need to be circumcised and told Bill he would call the doctor in the morning for an appointment.

Dad then asked me if I had any problems. I told him that I did not. Dad asked me drop my pants and show him my penis. I dropped my pants and showed dad how my loose foreskin worked. Dad said that it looked good to him.

The next evening dad called us boys into the bedroom again. He told us that he had talked to our family doctor and that the doctor had recommended that Bill see an Urologist. Dad explained that an urologist is a doctor that specializes in men's plumbing and would do the circumcision if necessary. He was given a recommendation and dad had setup an appointment for Friday after school. Dad told me that I would have to take Bill to the doctor's office as he could not get off work.

That night when we went to bed, Bill and I talked about what dad had told us. Bill was somewhat concerned the possibility of getting circumcised. He was concern about the surgery but not about getting a circumcised penis. He said always liked the look of dad's penis and that he would then be like all most all of the boys at school.

We had talked previously about the fact we were in the very small minority of boys with uncircumcised penises. But we decided that this is the way we are and that is OK too.

Friday came along, I picked up Bill after school and we drove to the urologist's office. We both entered feeling a little embarrassed; we were treated with courtesy and respect by the receptionist. The receptionist asked for our insurance papers. When Bill was called into the doctor's examining room, Bill asked me to come along. I think he wanted a little brotherly support. We went into the examining room and waited for the doctor. There was a knock on the door and the doctor entered.

The doctor asked which one of us was Bill and Bill nodded. The doctor asked who I was and told him that I was Bill's older brother. The doctor then asked Bill to describe his problem. Bill told him that he had trouble retracting his foreskin and replacing it over the head. The doctor asked him if he trouble retracting skin erect or both erect and soft. Bill replied both hard and soft and that he thought it probably was not proper as his brother's foreskin did not do this. The doctor agreed and asked Bill to show him is penis. Bill unzipped and exposed his penis. The doctor looked at Bill's penis with its pucker of foreskin on the end. The doctor then told Bill he needed to feel how tight Bill's foreskin was. The doctor tried to slide Bill's foreskin back and had a lot of trouble. He then asked Bill if

he could slide the foreskin back and if so please demonstrate. By this time the attention to Bill's penis had caused it to expand quit a bit, but he was able with a lot of effort to retract his foreskin. When the doctor asked Bill to return the foreskin, Bill had lot trouble accomplishing the task. When he squeezed the glans real hard for few seconds and he was able to return the foreskin over the glans. The doctor then asked Bill: if his penis had always been like this or had the tight foreskin condition developed over time. Bill explained that it had developed over the last two / three years as his penis grew.

The doctor told Bill that he thought the foreskin would not loosen over time and would probably get tighter. The doctor told Bill that he thought a circumcision was the proper solution for his condition. He asked Bill what he thought about having his penis circumcised. Bill told the doctor that he did not mind having a circumcised penis but he was concerned about the pain of cutting off his foreskin. The doctor then explained how he would give Bill a shot that would make him less nervous and that he would then give him a few shots around his penis to block the pain. He would also give him pain pills to take at home for the next couple of days if he needed them, but that often guys did not need the pain pills.

He then asked Bill what grade he was in. Bill replied that he was now in the 8th grade and that he would be entering high school in the fall. The doctor told Bill he could get his circumcision at the beginning of summer vacation and he would be completely healed up by the Bill's school started. The doctor said this is when he generally did many older boys circumcisions.

The doctor again asked Bill if he was OK with having his penis circumcised. Bill told him that he had guessed that a circumcision would be recommended and that if it needed to be done, so he was ready to get it done. The doctor asked him if he thought the first of summer vacation was a good time because it would be very well healed and Bill would look like he had always been circumcised when he entered high school. The scar area would be fairly smooth. It was only a couple of months away. Bill said yes. The doctor asked me if I had a foreskin and did it work properly. I told him I did and that it was loose and worked properly. He nodded his head and no more was said about my penis. The doctor suggested we get on the internet and look and the site www.circlist.com were we would able learn a lot about circumcision.

We went up front to set the date for Bill's circumcision. The receptionist gave some papers for dad to sign and instructions for the day of Bill's circumcision.

When we got home dad was waiting for us. He asked Bill how the doctor's appointment went. Bill said that the doctor had recommended a circumcision, he had agreed, and that he had scheduled a date for the first Monday that school was out this summer. Bill told dad that the doctor said that he would be all healed up by the time he stated high school. Bill showed dad the papers that he had to sign. Dad took them and signed them that evening after reading them.

That night after dinner and our home work, Bill and I got on the internet and logged onto [circlist](http://circlist.com). It was a real education. We were fascinated with the different styles and how a circumcision was done. We also found the comments submitted by guys who had been circumcised as teenagers and adults. They were very pleased with the result of their circumcisions. They commented that the circumcision surgery was a very minor event, pain was not an issue, but that getting a circumcised penis was a major event. They were very happy they now that they had a circumcised penis. They did comment that some times not enough skin was removed and they went back for re-circ. Most of them wanted a 'tight' circumcision so that the skin was tight on erection and never came over the ridge of the glans. Most of them also wanted to preserve as much of the inner foreskin as possible in order to save the sensitive skin.

When we went to bed Bill told me that he felt better about the pain issue. He asked what I thought about the 'high and tight' type of circumcision. I told him it sounded interesting but that I would have to think about it.

The next morning Bill told me he was starting to get excited about get circumcised. He had thought about it last night as he was going to sleep and realized that deep down he had always wished he had a circumcised penis like

all of his friends. As we got ready for our morning showers, Bill pulled his foreskin all the way back, with some effort, so that the skin on the shaft was smooth from the head to his fingers holding back the skin. Bill asked me if I thought that is what his penis would look like when it was circumcised. I told him that it probably would look like that except it would not have the tight ring where his inner foreskin joined the outer skin. The ring was squeezing his shaft with a significant indentation. Bill asked me to retract my foreskin back tight so that he could see what his circumcision would probably look like. I skinned back tight, and Bill looked real close. Bill liked the look. He then squeezed his glans real tight and replaced his foreskin over the head with quite a bit of effort.

That night as we were getting ready for bed, as soon as we were naked, Bill asked me to retract my foreskin and leave it back while we straitened up our room. As we finally got into bed Bill said that he like the bare glans look but without the wrinkles.

The for next few weeks things were some what normal but with Bill still excited about his up coming circumcision. Bill did tell me that he did tell his best friend Ron (circumcised), that he was getting circumcised when school was out. Ron thought it was 'cool' that Bill was getting a cock just everybody else. Bill admitted that they had compared cocks and that he liked the looks of Ron's penis. They had also found Ron's circ' scar and it was about a quarter way up the shaft from Ron's glans. Bill said that he wanted his scar further up the shaft. They been on circlist web site and read about the sensitivity of the inner foreskin. He and Ron checked the sensitivity of Ron's residual inner foreskin. They found Ron's skin between the head and circ' line to be much more sensitive than the shaft skin. Ron was thrilled with this discovery. And Bill better understood the style of circumcision he wanted, high and tight.

As school ended and Bill's circumcision date came, Bill became more excited about his up coming circumcision.

Finally school was out and Bill's circumcision was tomorrow. Dad came into our bedroom and asked Bill how he felt about his surgery tomorrow. Bill told dad that he was ready and excited to get it done. Dad again explained that he was sorry he could not take Bill to the doctors but was glad that I was available to take Bill there. Dad gave us the signed papers. He then told Bill: "Well I guess that tomorrow when I see you again you will have a pecker like mine." Bill and I laughed at dad's comment. Bill said: "I sure will!"

The morning arrived. Bill and I took our showers and were in the bedroom to get dressed and Bill once again asked me to fully retract my foreskin so that he could see the skin tight and smooth. Bill said that is exactly the result he wants from his circumcision. We got dressed and it was time to drive to the doctor's office. As we were driving there and walking into the office Bill was a little nervous about the doctor cutting on his penis.

Again we checked in at the front desk and presented the papers. Shortly Bill was called into the examining room. He again asked me to accompany him through the process. The nurse led us into the examining/surgery room. She explained that she would be assisting the doctor during the surgery. She asked Bill to strip from the waist down but he could leave on his socks and get up onto the table. Then the doctor entered the room.

As Bill was stripping, the doctor asked Bill if he ready for his circumcision. Bill said he was ready. The doctor then asked Bill if he had given any consideration of the style of circumcision he wanted. Bill told him the we had looked at the circlist site and he wanted to keep as much of the inner foreskin as possible and have as much shaft skin removed to make the result tight so that he would have smooth shaft skin when erect. Bill then told the doctor that since he had such a difficult time retracting his foreskin that he had asked me to retract mine back snug and that he liked the look.

The doctor gave Bill a sedative in the arm and placed three nerve deadening shots around the base of Bill's penis. The doctor said that we needed to wait for the anesthetic to take hold. He placed a paper surgical towel over Bill's penis, tore out a hole and pulled Bill's penis through.

The doctor then asked me if I would not mind showing him what Bill liked since we had to wait. I agreed, unzipped, pulled out my penis and retracted the foreskin all the way back good and snug. The doctor asked Bill if that is what he wanted and Bill said yes.

The doctor checked Bill's penis to see if Bill could feel him pinching the skin. Bill said that it didn't hurt. The doctor then asked Bill, this is your last chance to keep your foreskin are you ready to have it removed. Bill told him to "get with it man."

The doctor took a pair of scissors, pointed them in line with Bill's shaft, into and over Bill's extra tight pucker ring and made small slice making it easier to retract Bill's foreskin. He then bunched up the foreskin that he would remove until he was satisfied that he identified the skin to be removed. He then took a pen and marked the place for the cut near the base of the penis. He then pulled the skin all the way back tight. Then he took a scalpel and cut around the penis just outboard of the snip. The inner foreskin relieved of the tension bunched up towards the glans. The doctor then took the scissors and split the shaft skin up to the mark where would make the second cut around the shaft. He pulled the skin out tight used the scalpel to cut around the shaft again. When he put the severed skin on the surgical tray, it was a sizable pile. The doctor then commented "Well Bill you are now circumcised. I just need to stitch the edges together." Bill smiled. The doctor pushed the two severed edges together checking the tightness of the circumcision. Satisfied he started placing the stitches. As the doctor was finishing up the stitches, I told Bill it looked like he got just exactly the circumcision he wanted. When the doctor finished stitching, he asked Bill to look and see if it was what he wanted. Bill commented that it looked kind of harsh now but seemed to be what he wanted. He then wrapped Bill's penis with gauze and tape. We commented to the doctor about the big mound of skin on the tray. He said it is amazing just how big a chunk of skin is removed by a circumcision and that Bill had more than most.

The doctor told Bill he could get dressed. He then escorted us to the front desk and booked Bill in for post check up in a week. We were given printed instructions for the care of Bill's new circumcision and some pain pills for if Bill needed them.

When we got home we read that Bill was not to get the dressing wet and that he could remove it after two days. By now the anesthetic was wearing off and Bill could feel a little sting here and there but no real pain. Bill decided to lie back on his bed, relax and read for a while. After about an hour Bill suggested we go out for hamburgers. I asked him if he felt OK and he said he felt good. His penis felt a little funny all wrapped up but it did not seem to be a big deal. He took a pain pill on general principles. So out we went. Bill had no problems.

When dad got home, he immediately came to our room to see how Bill was doing. Bill was playing games on the computer. Dad was a bit surprised to see Bill was doing so well. Dad said: "Well you're a circumcised guy now, how does it feel."

Bill commented: "So much gain and no pain." Dad and I laughed.

That night in bed Bill started to get an erection. He told me he was worried about pulling out the stitches. I suggested he sleep on his side with his knees pulled up relieving any tension that may occur. He woke up several times through the night but no problems.

Bill chose to skip his shower until Wednesday after noon. This was 48 hours after we got home from the doctor's office. Bill carefully removed the dressing on his penis. It looked pretty harsh but we had read on the internet that we should not be worried. It normally looked puffy and black and blue. Bill wanted to shower but was worried about getting the wound wet. I went into the kitchen and got Ziploc bag placed it over his penis and zipped as tight we could get it. He showered letting as little water as possible getting near the bag.

Bill dressed but noticed that the stitches were snagging on his clothes a lot. Also since his glans had been covered almost all the time it was a bit sensitive to rubbing on his shorts. We found a gauze pad, wrapped it around the stitches and taped it in place. This worked perfectly for him. We did trim back the excess knot ends on the

stitches. That night I told Bill I thought his circumcision was perfect, that it was the result I would want if I ever got circumcised.

We went back to the doctors a week later. The doctor examined Bill's penis and said that his circumcision was healing very well. He said even though he had used self dissolving stitches he would remove them now since Bill was healing so well and that this would prevent stitch tunnels. After the doctor was done removing the stitches, he ask Bill if liked the result of his circumcision. Bill told him that it was just what he wanted. The doctor told us to come back in a month so that he could see the final result. He also told us contact him if there were any problems.

Tim wore no wrap on his penis from that day on. He became more and more satisfied with his circumcised penis as it healed and time went on. He could not get the skin onto the glans hard or soft. It took him a while to figure out how to masturbate his new penis but not too long.

As the scar healed his circumcision was not as noticeable. At first it was obvious he had just been cut but by the time school started the scar had settled down. If you really looked, you could tell it was recent circumcision.

Bill did show Ron his new circumcision. Ron was impressed and noted that Bill's circumcision as even tighter that his own and Bill's scar was higher. Bill did ask Ron how he masturbated. Ron showed him and they had several JO sessions together. Bill told me it was really fun playing with the residual inner foreskin when his penis was fully erect and the skin was tight. He had to show me what he meant. He then encouraged me to use one hand to hold my skin back tight and play with my dick with the other hand. It was really quite enjoyable.

When Bill started high school, nobody noticed or commented that he had a fresh circumcision. Not even during the after PE showers. There were a couple of exceptions. They were some of his old friends from our immediate neighborhood. They thought it was neat the he got his dick fixed and want to know if really hurt. Bill told them he really like his circumcised dick and the actual circumcision was no big deal.

For the next two years, I noticed how much Bill enjoyed his circumcised penis. He was playing with it as much as he could. Particularly in the morning and evening in our bedroom. Washing it in the shower was a great joy.

During my senior year, he would occasionally invite me to play with his circumcised dick and he would sometimes play with my foreskin. It was really different sliding my hand up and down his tight skin and over his dry knob. He would slide my foreskin back and forth, over and off of my glans. He would hold my skin back real tight and rub my dick like he did his. He would pay special attention to stimulation of the inner foreskin stretched back over the shaft. He encouraged me to leave the foreskin retracted to let the glans dry out. We figured out how to tape the shaft skin under itself giving me a virtual circumcision. I started doing this all weekend when I didn't have a date.

I noticed that my foreskin would come over the glans when I was having sex with my girl friend. It seemed that a bare glans would be preferred and give more stimulation. Condoms would get tangled up in my foreskin. Bill and I got back on the circlist site and found guys comments about having sex with and without a foreskin. They preferred sex with a circumcised penis. Also women seemed to prefer sex with circumcised penis.

The more I kept my foreskin back I began to appreciate what a circumcision might do for me. Bill and I discussed this a lot. He was starting to have sex with girls and glad he had no excess skin getting in the way of his pleasure and performance. Bill was now encouraging me to get my penis circumcised. He thought I would really enjoy and prefer a circumcised penis once I had it done. I continued to retract my foreskin a lot and would occasionally tape the outer skin under itself.

By spring I was convinced, I wanted a circumcised penis. I wanted to get rid of that excess skin. I told Bill I wanted a circumcised dick just like his. He said: "Hay bro we'll both be the same again." And he said it with a great big smile.

When dad came home, I asked him to come into our bedroom and talk to us. I closed the door and dad said what's up. I told dad that I had decided I wanted a circumcised penis just like his and Bill's. Dad was supportive. He told me I was still on our insurance and it will even cover me while I'm in college. I suggested to dad that I get my circumcision right after high school is out so that I would be well healed by the time I started college. I asked dad if I could start work a week late since I would be working for him. He said that would be OK.

I called and made an appointment with the urologist for a pre-circumcision exam for after school a couple days out. I asked Bill to accompany me as I wanted to ask the doctor to do the same thing for me. When we talked to the doctor, I told him I wanted a circumcision and wanted it to be just like Bill's, high and tight. He looked at my penis and at Bill's. He agreed that he could do the same for me. He said that Bill's circumcision had healed up very well and nice and tight with minimal scarring and that mine would look almost the same but no two circumcisions were exactly the same. He told Bill that his scar would fade even more over the next couple of years. He pulled my foreskin back tight and again compared my penis to Bill's. The doctor told me would preserve the entire inner foreskin but my scar would not be as high as Bill's as I did not have as much inner foreskin as Bill had had and he needed to remove my ring where the inner and outer foreskin meet. He had recalled that Bill had a longer foreskin than I have. He showed me where my circ scar would be. It was about 1/3 the way up my shaft from the head. Bill's scar was about the middle of his shaft. He also said that he could get dad's insurance to pay for the circumcision.

We went to the receptionist and I scheduled my circumcision for the Monday after Bill got out of school for the summer. My graduation day was sooner. But I wanted Bill to take me to the doctor for my circumcision besides the doctor said I could not drive myself.

I wore my foreskin retracted full time until my circ. I had to buy some tight underwear to keep the foreskin back and the glans exposed. Occasionally it would slip forward but I would soon get it pulled back. Bill kept reminding me how much he preferred his circumcised status but that it really took some time to get used to a bare head. I reminded him it was not as different for me as I could retract my foreskin without difficulty and could get used to the head being exposed by keeping the foreskin back. Occasionally Bill would let me slide my hand up and down his dick to let me experience his high and tight circumcision. I would then hold my skin back tight and slide my hand up and down my pseudo circumcision. I was convinced that any loose skin on my dick was excess skin and needed to go away.

The day for my circumcision had arrived. That morning I had a last wank with my foreskin just to experience it for the final time. After my shower, I put my foreskin over the glans so that I would arrive at the doctor's office with the traditional configuration of the uncircumcised. As Bill was driving to the doctors, I realized just how apprehensive Bill had been the morning of his circumcision. I really wanted the circumcision but I was concerned about how I would handle the cutting, sewing and healing.

We went through the same set of events until the doctor arrived. As I was taking off my shoes, pants and shorts and the doctor entered. I reminded the doctor that I wanted my circ to as high and tight and he could do it. He pointed to Bill and said just like his. Bill grinned. I got up on the table and got my shots. The doctor then painted my penis with antiseptic with the foreskin both up and down. The nurse then draped the paper towel over my penis and tore out a hole for my penis. The doctor gloved up and pulled my penis out through the hole. He then slid my foreskin all the way back and marked where the inner and outer foreskin met. He then returned the foreskin over the glans. He then pulled the skin out so there were no wrinkles and the skin was slightly stretched and placed a mark just the same distance up the shaft as the previous mark. He checked to see if I was num yet but I wasn't. Even though the nurse was still there, the doctor asked Bill how well he liked his circumcised penis. I was a bit embarrassed. Bill told the doctor that he thought his circumcised penis was great and he would not want it any other way. Surprisingly the nurse spoke up and said that the girls prefer the circumcised penis for looks and its intended purpose. The doctor commented that he had been circumcised in medical school, by choice, and became a strong advocate in favor circumcision. By this time the discussion had caused my penis to become engorged but not erect.

The doctor checked to see if the anesthetic was taken over and it had. He asked me for the last time if I really wanted to be circumcised. I said: "Yes, sir." He held up my penis with the foreskin over the glans and said this is the last time you will see skin over your glans and pulled it back tight. He took a scalpel and carefully cut around the upper edge of the inner foreskin at the mark. He next took a pair of scissors and cut up to the higher mark. He then cut around again with the scalpel and set the excess skin on the surgical tray. I could tell (feel) what he had been doing but it did not hurt. After he stitched me up, he said: "You are now a circumcised man." I looked at it, it was kind of ugly with the stitches around it but it looked like what I wanted. I replied with a thank you. He then bandaged my penis. I then asked just how big the lump of skin on the tray was. He picked it up and stretched it out it was about 5 by 6 inches. He commented about it being a lot of skin we don't need.

We checked out of the doctor's office and went home. Just like Bill before me, I rested for about an hour. Then Bill and I went out for hamburgers. We were hungry. When we got back home, Bill told me that it was fascinating watching the doctor circumcise my dick. I told him yes, had the same experience during his circumcision.

When dad got home, he came into our room. He asked how I was recovering. I told it was no big deal. Dad then said: "We're now a circumcised family." Bill and I laughed and agreed. He explained that he had wanted us to be circumcised at birth but mother just could not be convinced. He had agreed to leave us uncircumcised and convinced her to let us be circumcised if we needed a circumcision or profoundly wanted a circumcision. Bill needed it and I was 18 and responsible for my own choices.

Two days later it was time for me to remove the bandages and get a shower. Bill and I looked closely at my penis. Like Bill's had been it was quite ugly looking being puffy and black and blue. But the scar up about 1/3 up the shaft from the head and skin had no wrinkles. I kept a wrap around the stitches to keep them from snagging during the day but I slept on my side without the wrap at night to let air help the healing process.

After a week I went to the doctor for the post-circ exam. He said I was healing well and took out the stitches that had not dissolved. Without the stitches my penis looked good but there was still some swelling.

Dad owns a hardware store and worked there for the summer. The doctor had warned me not to lift heavy things for couple weeks that I would hold against my groin. It could break open the scar. All healed well and I was soon performing all my duties without any problem. It was, shall I say, amusing when carrying a box against my groin and pulling the skin on my penis tight.

Bill and I kept track of how well I was healing. As time progressed my circumcision looked more and more like his. My circumcision was just as tight as Bill's. I really enjoyed my penis with the exposed inner foreskin remnant and the smooth/tight skin all along the shaft. It took a while to develop a masturbation technique for my circumcised penis. I enjoyed sex better and so did my girl friend. I am not embarrassed to be seen in the locker room as I was with a foreskin. Having my circumcised penis moving around in my shorts can sometimes give me a minor thrill.

Bill and I decided that our sons would be circumcised, high and tight, at birth and they were. As my two sons grew up they asked me about the different kinds of penises. I explained to them about circumcision. Their uncle's and my experience with our foreskins, why we got circumcised and how we did not want our sons to have to go through the same experiences when they could be eliminated with a circumcision at birth. The boys were satisfied with my explanation. They said that they felt normal but just wondered. As they got older and started to experiment with sex they told me they were very happy with the circumcised configuration and very pleased I had them circumcised at birth. They told us they, too, will have their sons circumcised at birth.